#### BOSE INSTITUTE P-1/12 C.I.T Scheme-VIIM Kolkata – 700054.

#### **NOTICE INVITING TENDER**

Tender No.:- <u>B.I./T/OVR/25/13</u>

To

1. M/s. Sudaram 5. M/s. New Modern Construction & Co.

2. M/s. The Epoch Co –Op Engg Soc. Ltd. 6. M/s. Lessa Enterprise

3. M/s. Swadeshi Construction 7. M/s. Affable Construction Company

4. M/s P.B Construction 8. M/s. Sri Satrughana Patra

### Name of Work: Repairing & renovation of Accounts Section at Centenary Building

Dear Sirs,

The undersigned invites you to tender your rates for works detailed in the enclosed schedule, subject to the following terms and conditions as integral parts of the contract for the tender.

- 1. Quotations in duplicate under a sealed cover superscripted with the words "Tender No. <u>B.I./T/OVR/25/13</u> dated <u>11.07.2013</u> due on <u>19.07.2013</u> should be send to the office of the Registrar, at the above address, so as to reach on or before <u>2.00 P.M on <u>19.07.2013</u> to be opened at 2.30 P.M. on the same day.</u>
- 1.a). The tenderers are requested to submit the photocopies of following documents duly signed by the proprietors / authorizes signatories along with the tender paper positively.
  - i) Pan card of the owner
  - ii) Last Income Tax clearance certificate
  - iii) Valid Vat Registration certificate
  - iv) Proper authentication of proprietorship / Partnership/ Authorized representative of the Firm.

#### Failing which the tenders may be treated as cancelled without showing any reason.

- 2. Tenders received beyond the schedule date and time will not be entertained in any case.
- 3. The tender/offer should be clear and precise quoting the net price(s) per unit both in words as well as figures, with break-up of different elements, if asked for. The price(s) quoted should be inclusive of Sales Tax, Income Tax, and other charges, etc.
- 4. In case the quotation is accepted and order placed, the contractor shall remain liable to complete the work within the stipulated date.
- 5. Time of completion **08 (eight) weeks form** 3<sup>rd</sup> day of receiving the Work Order.
- 6. Time, being the essence of contract, the contractor shall pay or allow the employer the sum equivalent to 1% of the total cost of work awarded per week, subject to a limit of 10% of the order value or the final bill amount whichever is greater, as liquidated damages for the period during which the said works shall remain incomplete beyond the time f completion mentioned above or beyond the time duly extended in writing. The employer may deduct such damages from any money due to the contractor.
- 7. Item prices once quoted will be firm and fixed. No price escalation will be entertained even for the works executed within the extended period, if any.
- 8. In case the order is cancelled due to non-compliance of the contractual terms and conditions, the Institute reserves the right to execute the job at its own cost and the differential amount, if any, on account of the alternative arrangement will be intimated to and recovered from him.
- 9. Guarantee period: The contractor shall give guarantee for a period of six months from the date of final handover and shall remain liable for rectification of defects, if any arises, within the said period at free of cost
- 10. All materials procured by the contractor will be subjected to inspection and/or tests prescribed in the specifications.
- 11. R/A or final bills: 90% payment will be made against your bill on actual measurement basis for the tender value worth of Rs. 20,000/- 100% payment will be released.
- 12. Incomplete tenders will be liable to cancellation.

Date: 11.07.2013

- 13. The tender/offer shall remain valid for acceptance till 03 months from the scheduled date of its opening.
- The contractor shall remain liable for any incidental charges occurred from natural calamities, accidents etc.
- 15. <u>Supplementary/Non-Schedule Items:</u> Rates for supplementary/Non-schedule items will be ascertained on the basis of P.W.D. Schedule of Rates, WBPCES (Current), plus/minus percentage above/below as reflected in contractor's quoted rates or the actual cost of materials and labour plus 15% towards overhead and profit, whichever is less.
- 16. Water and Electricity: Water and electricity as may be required for the work may be provided free of cost, subject to availability, at our source and contractor will make his own arrangement for distribution. However, no claim will be entertained for non-supply of water and electricity by the Institute.
- 17. Storage Space: A space for storage of materials may be provided by the Institute but the responsibility for security of the materials and machineries rests with the contractor.
- 18. **Removal of Rubbish/Debris:** The rubbish/debris etc. out of dismantling worn-out plaster, walls etc., shall be removed by the contractor from the work site from time to time, as per direction of the Engineer-in-charge.
- 19. <u>Indemnifying against damages</u>: Contractor shall, during the course of execution, be responsible for all damages to property and for any injury or loss caused to the work or workmen, to persons or things. The contractor shall make good all such damages besides damages out of dismantling plasters/walls/concrete surfaces during the course of execution at their own cost/risk.
- 20. Work during holidays etc.: Prior approval from the competent authority has to be obtained for persons to be engaged during holidays and/or beyond office hours, in listed form, mentioning, their names and addresses.
- 21. The quantities may vary up to 10% and beyond the limit of 10% approval of Competent Authority is required to be obtained prior to execution.
- 22. The contractor shall abide by the Rules and regulations of labour wages act.
- 23. Bose Institute reserves the right to reject any or all tenders without assigning any reasons thereof.

In case of any discrepancy, the order of precedence in interpretation shall as follows:

- (i) Schedule of Quantities and Rates.
- (ii) Special conditions of contract.
- (iii) Institute's General Conditions of contract.
- (iv) I.S. Code.
- (v) Best Engineering Practices.

Yours faithfully, Sd/-

Registrar

Enclosure: Schedule & Quantities

# BOSE INSTITUTE KOLKATA

## $\underline{Schedule\ of\ quantities\ for\ repair\ \&\ renovation\ of\ Accounts\ Section\ at\ Centenary\ Building.}$

<u>SL.</u> <u>NO.</u>	<u>DESCRIPTION</u>	QTY	<u>UNIT</u>	RATE (Rs.P.)	AMOUNT (Rs.P.)
1.	Plaster to wall, floor, ceiling etc. with sand and cement mortar including rounding off on chamfering corners as directed at 2 <sup>nd</sup> floor. With 6:1 cement mortar:  (a) 20mm thick plaster.	40	$M^2$		, ,
2.	Rendering the surface of walls & ceiling with cement base wall putty with a thickness of 1.50mm.	50	M <sup>2</sup>		
3.	Applying plastic emulsion of approved make and brand on walls & ceiling including a coat of primer with two coats of painting.	160	M <sup>2</sup>		
4.	M.S. structural works in roof truss using channel angle of specified section weighing net less than 22.50kg/m confirming to IS226, IS808 & SP (6) – 1964 concreted to each other with bracket gusset, cleat as per design complete including cutting to requisite shape & length fabrication with necessary bolting, welding complete as per direction of design & drawing. the rate includes the cost of rolled steel section, consumables such as electrodes, gas & wire charge of all tools & plants & labour required for the work including all incidental charges such	130	K.G		
5.	as electricity charges, labour insurance charges etc.  G+B13.1 cleat & sheet expansion fasteners. Ceiling section of 0.55mm thick having knurled web of 51.5mm & two flanges of 26mm each with lips of 10.5mm are then fixed to the intermediate channel with the help of connection clips & in direction perpendicular to the intermediate channel @450mm c/c/. 12.5mm thick tapered edge gyp – board confirming to IS 2095: 1982 of M/S Indian Gypsum is then screw @ 230mm c/c. jointing the + B12 board and finishing so as to have a flush look which includes filling and finishing the tapered and square edges of the board with jointing compound, paper tape and two coats of primer suitable of gyp – board (as per recommended practices of India Gypsum). The rate to also include cost of making cutouts of light fittings & fixing frame of perimeter channels of size 20 x 27 x 30 x 0.55mm thick required for cutouts supported suitably etc. complete as per drawing & directions of Engineer – in – Charge.	15	Sqm		
6.	Supplying fitting & fixing of imported quality vertical blind.	65	$\mathbf{M}^2$		
7.	Stripping off worn out plaster & racking out joint of walls, ceiling etc. upto any height and in any floor including removing rubbish.	30	$M^2$		

Contd...2.

SL.	<u>DESCRIPTION</u>	QTY	<u>UNIT</u>	RATE	AMOUNT
<u>NO.</u>				(Rs.P.)	(Rs.P.)
8.	Supply fitting & fixng P.V.C. gutter with all				
	necessary fittings & fixtures complete. 300mm	06	M		
	wide (Supreme / Oriplast)				
9.	Supply fitting & fixing glass reinforced polyester				
	translucent fiber glass sheet as per IS: 12866 -				
	1989 in roof fitted and fixed with 10mm dia "J"	12	Sqm		
	or "L" hook, bolts and nuts, limpet and bitumen				
	washer and putty with 150mm end lap and one				
	corrugation minimum side lap complete.				
10.	Supplying, fitting and fixing 4mm thick Indian				
	sheet glass panes including screw, nail, putty etc.	30	Sqm		
	at any height and removal of old part.				
11.	Aluminum sliding door shutter in required				
	dimensions as providing continuous handle,	07	Sqm		
	flash tower bolts suitable locking arrangement of				
	approved make etc.				
12.	Polishing only of old marble or terrazzo work				
	with oxalic acid powder using 33 gms/Sq.M by	220	Sqm		
	manual labour /machine where necessary.				
13.	Maintenance of window in the 1st floor with	21 Nos	Each		
	greasing & other method to make it movable.				
14.	Partition work made with extruded and				
	anodized alloy aluminum section (63.50 X 38.10				
	mm), fabricated in shape and alignment within				
	built locking arrangement – partly glazed (05mm	33	Sqm		
	thick clear sheet glass panes) with glazing clips				
	and partly paneled (12mm thick both side pre-				
	laminated board) in desired shade and in				
	required design, properly tied-up with				
	floor/wall/ ceiling using neoprene EPBM gasket				
	as per direction.				